

First Professional BUMS Degree Supplementary Examinations
September 2025
Tashreeh UI-Badan - Paper II
(2022 Scheme)

Time: 3 hrs

Max Marks: 100

- Answer all questions to the point neatly and legibly • Do not leave any blank pages between answers • Indicate the question number correctly for the answer in the margin space
- Answer all parts of a single question together • Leave sufficient space between answers
- Draw table/diagrams/flow charts wherever necessary

1. Multiple Choice Questions (20x1=20)

The responses for MCQ questions (Q.No. i to Q.No. xx) shall be written continuously on the first two writing sheets (ie Page No. 3 & 4) only

- i. The nerve supply of Cremaster muscle is
 - a) Lower six thoracic nerves
 - b) First lumbar nerve
 - c) Genital branch of Genitofemoral nerve
 - d) Sub costal nerve
- ii. The total number of muscles of the perineum converge and interlace in the perineal body is
 - a) 8
 - b) 9
 - c) 10
 - d) 11
- iii. Jejunal and Ileal branches for small intestine arise from
 - a) Celiac trunk
 - b) Superior mesenteric artery
 - c) Inferior mesenteric artery
 - d) Abdominal Aorta
- iv. All the following are characteristic features of the Female bony pelvis **EXCEPT**
 - a) Pelvic inlet is oval or round
 - b) Sub pubic angle is 50-60 degrees
 - c) Obturator foramen is small and triangular
 - d) Sciatic notches are wider
- v. Inferior vena cava pierces the central tendon of diaphragm at the level of
 - a) T8 vertebrae
 - b) T9 vertebrae
 - c) T10 vertebrae
 - d) T11 vertebrae
- vi. The fascia lining the inner surface of Transverse abdominis muscle is
 - a) Fascia Iliaca
 - b) Fascia Lata
 - c) Fascia Transversalis
 - d) Thoraco lumbar Fascia
- vii. Which aponeurosis forms the inguinal ligament
 - a) Aponeurosis of internal oblique
 - b) Aponeurosis of external oblique
 - c) aponeurosis of transverse abdominis
 - d) None
- viii. The blood supply of ankle joint is by the following arteries **EXCEPT**
 - a) Anterior Tibial
 - b) Posterior Tibial
 - c) Peroneal arteries
 - d) Lateral Genicular
- ix. Which is the largest branch of Femoral artery
 - a) Superficial external pudendal
 - b) Superficial epigastric
 - c) Deep external pudendal
 - d) Profunda femoris artery
- x. The length of the Ischioanal fossa anteroposteriorly is
 - a) 3cm
 - b) 4cm
 - c) 5cm
 - d) 6cm
- xi. The lateral boundary of Femoral triangle is formed by
 - a) Medial border of Sartorius
 - b) Medial border of Adductor longus
 - c) Medial border of quadriceps femoris
 - d) None of the above

(PTO)

